

Notice of Allowability	Application No.	Applicant(s)	
	10/069,572	KANEMOTO ET AL.	
	Examiner	Art Unit	
	Alan T. Gantt	2684	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/28/05.
2. ☒ The allowed claim(s) is/are 17-32.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>113004</u> | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION***Response to Arguments***

Applicant's arguments filed 1/28/05 have been fully considered and are deemed persuasive. Applicant primarily argues that the Pfeil reference does not and cannot determine an order for communicating, through a shared channel, in accordance with a direction of arrival information because, although the base station may tune to each carrier frequency according to a specific order, that order is not based on direction of arrival of signals from the mobile stations since the direction of arrival from each mobile station's signal cannot be determined until the base station tunes itself to the mobile station's carrier frequency. Thus, applicant's arguments distinguish applicant's invention from the referenced prior art.

Drawings

A new corrected drawing in compliance with 37 CFR 1.121(d) is required in this application because Figure 13, ref. 1204 contains a block border not totally encompassing the function description title of the block. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

Claims 17-32 are allowed. The following is an examiner's statement of reasons for allowance:

Regarding claims 17-31, the examiner is in agreement with applicant's argument regarding the reasons for allowance.

Regarding claim 32, although it is common for measurements to be made to determine whether or not a signal quality has fallen below a threshold and then to send an adjustment signal to increase the power to acceptable levels, it is the feature of applicant's invention that heightens the sensitivity of the system to the possibility of a deteriorating condition at the instant of starting transmission of a shared channel to one of plurality of communication devices through the use of a notification by the base station that the transmission of a the shared channel has started that was neither found, suggested, nor made evident by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication from the examiner should be addressed to Alan Gantt at telephone number (571) 272-7878. The examiner can normally be reached between 9:30 AM and 6 PM within the Eastern Time Zone. The group FAX number is (703) 872-9306.

Art Unit: 2684

Any inquiry of a general nature or relating to this application should be directed to
Supervisory Patent Examiner Nay Maung at telephone number (571) 272-7882.

Alan T. Gantt

Alan T. Gantt

April 13, 2005

Nick Corsaro
**NICK CORSARO
PRIMARY EXAMINER**